From: Leahy, John [Leahy.John@epa.gov]

Sent: 7/16/2018 8:24:26 PM

To: McNally, Robert [Mcnally.Robert@epa.gov]

CC: Mendelsohn, Mike [Mendelsohn.Mike@epa.gov]; Overstreet, Anne [overstreet.anne@epa.gov]; Bohnenblust, Eric

[Bohnenblust.Eric@epa.gov]; Reynolds, Alan [Reynolds.Alan@epa.gov]

Subject: RE: Oxitec EUP 1 Pager

Attachments: Oxitec EUP 1 pager 7 16 18v3.docx

Here's the revised paper. Note that we've added in next steps summary. We had included some timeframes but after discussing with Bob and Anne a few minutes ago, we felt it would be better to take those out and just give the time estimates orally at the briefing. Thanks for everyone's input!

----Original Message---From: McNally, Robert
Sent: Monday, July 16, 2018 1:49 PM
To: Leahy, John <Leahy.John@epa.gov>
Cc: Mendelsohn, Mike <Mendelsohn.Mike@epa.gov>; Overstreet, Anne <overstreet.anne@epa.gov>; Bohnenblust,
Eric <Bohnenblust.Eric@epa.gov>; Reynolds, Alan <Reynolds.Alan@epa.gov>
Subject: Re: Oxitec EUP 1 Pager

Mike,

> Mike

Thanks for doing. I have a few basic edits. I will send as soon as I can.

Can you give me two things:

- timeframe to have the MRIDs reviewed by a contractor, timeframe to get a contractor set up to organize the comments, timeframe to do a risk assessment, AND - the trade-offs in your branch in terms of Wiebke and Eric's work and any others - what does not get done? Who do we need for comment review and response?

Have we coordinated with OGC on their role on Tuesday?? Legal issues/vulnerabilities?

Sent from my iPhone

```
> On Jul 16, 2018, at 1:33 PM, Leahy, John <Leahy.John@epa.gov> wrote:
> Got it; thanks Mike.
> -----Original Message----
> From: Mendelsohn, Mike
> Sent: Monday, July 16, 2018 1:29 PM
> To: McNally, Robert <Mcnally.Robert@epa.gov>; Leahy, John
> <Leahy.John@epa.gov>; Overstreet, Anne <overstreet.anne@epa.gov>
> Cc: Bohnenblust, Eric <Bohnenblust.Eric@epa.gov>; Reynolds, Alan
> <Reynolds.Alan@epa.gov>
> Subject: RE: Oxitec EUP 1 Pager
> John,
> Per our conversation, attached is a revised 1 pager for the EUP. I made my changes in track changes from the last version. Thanks!
```

ED_006741_00006712-00001